









Valena™ INMATIC
















7 520 01 / 02 / 03 / 05 / 06 / 07 / 08 / 10 / 11 / 13 / 16 / 17 / 18 / 27 / 28 / 41

			
0°C ... +35°C	0°C ... +35°C	40 mm	10 / 13 mm 1...2,5...4 mm²




7 520 01  10 AX - 250 V~ ≤ 2,5 mm² 13 mm	7 520 01 + 0 676 84  10 AX - 250 V~ ≤ 2,5 mm² 13 mm	7 520 01 + 6 650 91  10 AX - 250 V~ ≤ 2,5 mm² 13 mm
7 520 02  16 AX - 250 V~ ≤ 4 mm² 10 mm	7 520 41  16 AX - 250 V~ ≤ 4 mm² 10 mm	7 520 03  10 AX - 250 V~ ≤ 4 mm² 10 mm

7 520 05 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 	7 520 05 + 0 676 84 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 	7 520 06 / 16 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 
7 520 06 / 16 + 0 676 86 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 	7 520 06 / 16 + 7 520 57 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 	7 520 07 10 AX - 250 V~  ≤ 2,5 mm²  10 mm 
7 520 07 + 6 650 90 10 AX - 250 V~  ≤ 2,5 mm²  10 mm 	7 520 08 / 28 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 	7 520 08 / 28 + 0 676 86 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 
7 520 08 / 28 + 7 520 57 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 	7 520 10 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 	7 520 10 + 0 676 88 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 
7 520 10 + 7 520 58 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 	7 520 10 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 	7 520 10 + 0 676 86 10 AX - 250 V~  ≤ 2,5 mm²  13 mm 

7 520 10
+ 7 520 57




10 AX - 250 V~



7 520 10
+ 0 676 88




10 AX - 250 V~



7 520 10
+ 7 520 58




10 AX - 250 V~




7 520 11


6 A - 250 V~



7 520 11
+ 0 676 86




6 A - 250 V~




7 520 13

6 A - 12 V~ ⚠



7 520 17


6 A - 250 V~



7 520 17
+ 0 676 86




6 A - 250 V~




7 520 18


6 A - 250 V~



7 520 18
+ 0 676 86




6 A - 250 V~





7 520 27

16 AX - 250 V~






12 - 48 V~ ~~250 V~~~




12 - 48 V~




0 676 87


250 V~



0 676 84
86
88



7 520 57
58



6 650 90
91

	0 676 84	0 676 86	0 676 87	0 676 88	6 650 90	6 650 91	7 520 57	7 520 58
7 520 01	✓	—	—	—	—	✓	—	—
7 520 02	—	—	—	—	—	—	—	—
7 520 03	—	—	—	—	—	—	—	—
7 520 05	✓	—	—	—	—	—	—	—
7 520 06 / 16	—	✓	—	—	—	—	✓	—
7 520 07	—	—	—	—	✓	—	—	—
7 520 08 / 28	—	✓	—	—	—	—	✓	—
7 520 10	—	✓	—	✓	—	—	✓	✓
7 520 11	—	✓	—	—	—	—	—	—
7 520 13	—	—	✓	—	—	—	—	—
7 520 17	—	✓	—	—	—	—	—	—
7 520 18	—	✓	—	—	—	—	—	—
7 520 27	—	—	—	—	—	—	—	—
7 520 41	—	—	—	—	—	✓	—	—